

# Crossovers

## FBCLX64 8 $\Omega$

### SPECIFICATIONS

Nominal Impedance	<b>8 <math>\Omega</math></b>
Crossover Frequency	<b>1.7 kHz</b>
Filter Type	<b>Two Way</b>
Slope	<b>24 - 12 dB/oct</b>
Overall Dimensions	<b>173x120 mm (6.81x4.72 in)</b>


Dedicated crossover network for 12CLX64 coaxial speaker and CX12.64 suggested design

### MOUNTING AND SHIPPING INFO

Net Weight	<b>0.64 kg (1.41 lb)</b>
Shipping Units	<b>1 pcs</b>
Shipping Weight	<b>0.68 kg (1.5 lb)</b>
Shipping Box	<b>180x130x55 mm (7.1x5.1x2.2 in)</b>



### POTENTIAL APP. COAXIALS

12CLX64	<b>8 <math>\Omega</math></b>
---------	------------------------------



# Crossovers

## FBCLX64 8 Ω



# Crossovers

---

**FBCLX64** 8 Ω



Professional loudspeaker transducers since 1946

**B&C Speakers S.p.A.** Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY  
Tel. +39 055 65721 | Fax +39 055 6572312 | [mail@bcspeakers.com](mailto:mail@bcspeakers.com)